

KALDEWEI

Europe's No. 1 for baths

Franz Kaldewei GmbH & Co. KG
Beckumer Strasse 33-35
59229 Ahlen
Germany
tel. +49 2382 785 0
fax +49 2382 785 200
internet: www.kaldewei.com

AUSTRALIA

Bathe
25 John Street
Leichhardt NSW 2040
Australia
tel. +61 2 9518 0163
fax +61 2 9518 0216
e-mail: sales@bathe.net.au

AUSTRIA

Kaldewei Österreich GmbH
Ottensheimer Strasse 36
4040 Linz
Austria
tel. +49 2382 785 0
fax +49 2382 785 200
e-mail: info@kaldewei.de

BALTIC STATES

J. Neifeld
Vilnius
Lithuania
tel. +370 699 61931
fax +370 52 784 187
e-mail: j.neifeld@ivc.lt

BELGIUM

Egeda NV
Toekomstlaan 47
2200 Herentals
Belgium
tel. +32 14 22 26 08
fax +32 14 22 26 33
e-mail: info@egeda.be

CZECH REPUBLIC

Kaldewei CS, s.r.o.
Ohradní 61a
140 00 Praha 4
Czech Republic
tel. +420 241 092 150
fax +420 241 092 160
e-mail: info@kaldewei.cz

DENMARK

Baheko A/S
Vandmestervej 37
2630 Tåstrup
Denmark
tel. +45 43991611
fax +45 43991974
e-mail: baheko@baheko.dk

FINLAND

IMG Interiors
Kanavaranta 7 E
00160 Helsinki
Finland
tel. +358 9 622 9150
fax +358 9 667 035
e-mail: img.interiors@co.inet.fi

GREATER CHINA

Kaldewei Far East Ltd.
– Shanghai Rep Office –
9 A, East Building, Xin Hua Lian
755 Huai Hai Zhong Road
Shanghai 200020
China
tel. +86 21 6473 7813
fax +86 21 6473 7815
e-mail: kaldewei@china.com

HUNGARY

Török Szaniter BT
Solyvár 2
1032 Budapest
Hungary
tel. +36 1 2501846
fax +36 1 4301486
e-mail: kaldewei@kaldewei.hu

ICELAND

Trobeco
Laugavegi 71
101 Reykjavik
Iceland
tel. +354 5 113131
fax +354 5 627550
e-mail: trobeco@mmedia.is

INDIA

Kaldewei Agency India
Sunil Arora
India
tel. +98 998 08421
e-mail: sunilarora.kaldewei@airtelmail.in

ITALY

Kaldewei Italia S.r.l.
Via Julius Durst 44
39042 Bressanone (BZ)
Italy
tel. +39 0472 200 953
fax +39 0472 208 953
e-mail: info@kaldewei.it

JAPAN

Tform
Taiyo Kanamono Co.,Ltd.
3-15-34 Kozu Chuoku Osaka
Japan
tel. +81 6 6632 2838
fax +81 6 6633 7790
e-mail: info@tform.co.jp

KAZAKHSTAN

A. Sukhenko
Karaganda
Kazakhstan
tel. +7 7212 308238
tel. +7 701 7133056
tel. +7 700 4852175
e-mail: kaldewei_kz@mail.ru

MIDDLE EAST

R. Kaakarli
Am Pappelgraben 98
49080 Osnabrück
Germany
tel. +49 541 2028610
fax +49 541 2028611
e-mail: rami@kaakarli.de

NETHERLANDS

Tim Langner
P. O. Box 500330
Dubai Internet City
United Arab Emirates
tel. +971 50 3979668
fax +971 4 3908610
e-mail: tim.langner@kaldewei.de

Plieger B.V.
Koxkampseweg 6
5301 KK Zaltbommel
Netherlands
tel. +31 418 682 682
fax +31 418 680 143
e-mail: post@plieger.nl

NEW ZEALAND

Metrix
62 Apollo Dr, Mairangi Bay
P.O. Box 100-840
NSMC, Auckland
New Zealand
tel. +64 944 5656
fax +64 944 5151
e-mail: info@metrix.co.nz

HYDROTECH SANITÄR

42 Lunn Avenue, Mt Wellington
P. O. Box 14199, Auckland
New Zealand
tel. +64 9527 2276
fax +64 9527 1809
e-mail: info@hydrotech.co.nz

NORWAY

Holtan Trading AS
Finstadhagen PB 24
1930 Aurskog
Norway
tel. +47 63853830
fax +47 63853831
e-mail: post@holtans.no

POLAND

Kaldewei Polska Spółka z o.o.
ul. Słowikowskiego 1a
05-090 Raszyn
Poland
tel. +48 22 720 16 03
fax +48 22 720 16 05
e-mail: poczta@kaldewei.pl

ROMANIA

Razvan Pauna
Bucharest
Romania
tel. +40 729 019 620
e-mail: rpauna@yahoo.com

RUSSIA

V. Shmalts
Moscow
Russia
tel. +7 495 5072872
fax +7 495 9966753
e-mail: ru@kaldewei.ru

SLOVAKIA

Kaldewei CS, s.r.o.
Ohradní 61a
140 00 Praha 4
Czech Republic
tel. +420 241 092 150
fax +420 241 092 160
e-mail: info@kaldewei.cz

SOUTH AFRICA

House of Style
21 Natal Street
Parden Island
7405 Cape Town
tel. +27 21 506 4506
fax +27 21 506 4559
e-mail: kaldewei@yelloimport.com

SOUTH EAST ASIA

Kaldewei South East Asia Pte. Ltd.
61, Bukit Batok Crescent
#02-05 Heng Loong Building
Singapore 658078
Singapore
tel. +65 6899 2487
fax +65 6899 0287
e-mail: kaldewei-sg@hotmail.com

SOUTH KOREA

Hyunwoo Trading Co., Ltd.
213-5 Nonhyun-dong, Gangnam-gu
Seoul 135-010
Korea
tel. +82 2 547 3522
fax +82 2 547 3589
e-mail: hyunwookr@hotmail.com

SPAIN

Kaldewei España, S.L.
C/ Salvador Espriu 59, 4º - 1ª
08005 Barcelona
Spain
tel. +34 93 224 1150
fax +34 93 221 7444
e-mail: info@kaldewei.es

SWEDEN

Langenfeld Bad AB
Södra Kungsvägen 57
181 32 Lidingö
Sweden
tel. +46 8 7020775
fax +46 8 7021775
e-mail: info@langenfeld.se

SWITZERLAND

Zentrallager Schweiz
Obere Dünnerstr. 24
4612 Wangen b. Olten
Switzerland
tel. +41 62 2052100
fax +41 62 2121654
e-mail: lager-wangen@kaldewei.de

UKRAINE

B. Byshovets
Kiev
Ukraine
tel. +380 50 3104265
e-mail: kaldewei@ua.fm

UNITED KINGDOM

Kaldewei UK Ltd.
Unit 2, Jupiter Court
Tolworth Rise South
Surbiton
Surrey, KT5 9NN
United Kingdom
tel. +44 208 337 1441
fax +44 208 337 1998
e-mail: info@kaldewei-uk.com

UNITED STATES/CANADA

Kaldewei USA Inc.
9465 Counselors Row
Suite 200
Indianapolis, IN 46240
United States
tel. +1 317 805 4823
fax +1 317 805 4822

**THERE'S NOTHING
LIKE FLOOR-LEVEL
SHOWERING
WITH KALDEWEI.**

KALDEWEI

Europe's No. 1 for baths



FLOOR-LEVEL SHOWERS BRING MORE ELEGANCE TO YOUR BATHROOM. ESPECIALLY IN SIZE XXL.

Everyone is different, and every home, too. But no matter how different our senses of style, there's one thing we all have in common: the desire for a truly individual, elegant bathroom. A wonderful way to achieve this is by choosing a floor-level shower tray from Kaldewei. And if you would like to combine timeless beauty with generous dimensions for comfortable showering, a floor-level shower in size XXL is ideal. The shower blends harmoniously into the room around it, merging with the floor in one elegant line, while also providing for great freedom of movement while showering.





CORNEZZA

STRIKINGLY SIMPLE. INCREDIBLY VERSATILE.

The floor-level shower trays from Kaldewei not only captivate with their refined clean lines – their extreme flatness and floor-level installation turn your everyday shower into an exclusive experience. With almost 60 different sizes available, all the way to XXL, Kaldewei floor-level showers can be integrated effortlessly into any room situation. The CONOPLAN, for example, has a distinctive geometric shape that provides a generous space for pleasant showering. And it boasts in addition a central drain with an enamel cover for especially sure footing.



LADOPLAN



CONOPLAN



SUPERPLAN



CORNEZZA



BELLEZZA



ARRONDO



FONTANA



ZIRKON

MORE COMFORT AND SAFETY FOR EVERYONE.

Most of us appreciate having plenty of space in the bathroom. This is where a floor-level shower with its comfortable entry and exit makes for true everyday luxury. But this is more than a mere luxury for older or physically disabled people, who are now able to shower without worrying about tripping over the edge. Additional security is provided by optional anti-slip or full anti-slip enamelling that is burnt permanently onto the surface of the Kaldewei steel enamel 3.5 mm floor-level shower.

BARRIER-FREE IN CONFORMANCE WITH THE DIN STANDARD.

Model 399 (SUPERPLAN 120 x 120 x 2.5 cm) with full anti-slip meets the DIN 18025-2 barrier-free standard.

Model 413 (SUPERPLAN XXL 150 x 150 x 5.2 cm) with full anti-slip meets the DIN 18024-2, 18025-1 and 1805-2 barrier-free standards.



Kaldewei is a partner enterprise of GGT, the German Society for Gerontological Technology.

The SUPERPLAN 120 x 120 cm and SUPERPLAN XXL 150 x 150 cm models were awarded the rating Good (1.7) in the GGT user test.



SUPERPLAN XXL with full anti-slip



SUPER-FLAT AND SUPER-CLEAN.

A study conducted by the TÜV product testing institute found significantly fewer microbes on the surface of floor-level showers made of Kaldewei steel enamel 3.5 mm than on tiled showers. Hygienic deficiencies were found particularly in the joints between the tiles. Moreover, the material advantages of Kaldewei steel enamel 3.5 mm mean that our floor-level showers take much less effort to clean. In other words: floor-level showers are especially easy-care, with no need for aggressive cleaning agents, but simply a soft, moist cloth.

DISADVANTAGES OF TILED SHOWERS:

- hygienic danger zone
- bacteria proliferate on surface, particularly in joints
- take great effort to clean
- difficult and work-intensive to replace (prising up the tiles)
- work-intensive tiling involved (sealing, fitting to drain slope)
- work-intensive and expensive renovation
- elaborate measures required to prevent leakage



Tiled shower areas need work-intensive cleaning.



Bacteria proliferate on tiled shower floors, particularly in the joints.

ADVANTAGES OF FLOOR-LEVEL SHOWERS FROM KALDEWEI:

- outstanding hygienic properties (according to TÜV Produkt und Umwelt GmbH)
- hardly any bacteria on the surface
- quick to clean
- easy, problem-free maintenance
- easy, problem-free installation
- uncomplicated replacement
- optimal protection against leakage

FCSI, Foodservice Consultants International Society, conducted an expert survey on the "Pros and Cons of Shower Trays versus Tiled Shower Floors for Commercial Use". It was discovered that shower trays offer major advantages in terms of hygiene. Moreover, shower trays provide greater protection against water damage from leakage. With their substantially longer service life and guarantee periods, shower trays are clearly the better investment!



EASY-CARE. WITH THE EASY-CLEAN FINISH.

All floor-level showers from Kaldewei are available with an easy-clean finish. The easy-clean finish is a surface finish that is permanently burnt onto the Kaldewei steel enamel 3.5 mm. Water droplets form beads and simply roll off, taking virtually all dirt particles and lime scale with them. Even dried-on water spots and lime deposits can be quickly whisked away with a soft, damp cloth.

The easy-clean finish. With a 30-year guarantee.

SAFE. THANKS TO ANTI-SLIP AND FULL ANTI-SLIP.

Kaldewei anti-slip and full anti-slip make for sure footing in the shower. The anti-slip enamelling is made of a mixture of quartz and sand and burnt permanently into the surface of the Kaldewei steel enamel 3.5 mm. All floor-level showers are available with anti-slip, and the models CONOPLAN, LADOPLAN, SUPERPLAN and SUPERPLAN XXL can also be ordered with full anti-slip.

TÜV Rheinland has certified anti-slip and full anti-slip from Kaldewei as possessing the following properties:

Ratings group B for wet barefoot areas (DIN 51097)



SUPERPLAN with anti-slip





THE BENEFITS OF FLOOR-LEVEL INSTALLATION. THE ESR INSTALLATION SYSTEM FRAME.

THE ESR – A TIME-TESTED SOLUTION.

- allows problem-free maintenance
- optimal protection against leakage thanks to integrated drain-off connection
- rapid installation and wide range of heights
- no danger of water or structural damage due to defective silicone seals
- long-term cost benefits for users and investors
- optimal noise insulation in accordance with DIN 4109/A1 and SIA 181 (Switzerland)
- a matching ESR available for every single ARRONDO, BELLEZZA, CONOPLAN, CORNEZZA, FONTANA, LADOPLAN, SUPERPLAN and SUPERPLAN XXL model

JUST A FEW STEPS TO SUCCESS.



- 1** Determine siphon position and the path of the drain connection. Make recess or hole in floor using suitable tools.



- 2** Connect siphon trap to drain pipe and test water drainage. Place preadjusted ESR in recess.



- 3** Lay hose for drain-off connection and make sure Installation System Frame is level using a water level.



- 4** If there is a gap between the surrounding floor tiles and the foot frame, this must be properly filled with filler material.



- 5** Using the installation aids, the wall and floor can now be tiled.



- 6** The shower tray is mounted and the siphon trap set into it.

This sequence of steps is designed to serve only as a rough outline of how easy it is to install a shower tray with the ESR. Full installation and mounting instructions can be found on the Internet at www.kaldewei.com

A WIDE CHOICE OF COLOURS AND MODELS IN FLOOR-LEVEL SHOWERS FROM KALDEWEI.

With the large selection of models and colours available, the floor-level showers from Kaldewei offer a variety of options for designing a one-of-a-kind bathroom. Regardless of what shade the bathroom tile is, for example, the many available colours make it possible to choose just the right shower tray to match.



Coordinated Colours for floor-level showers less than 6 cm deep – upon request the showers in Coordinated Colours, in black or in alpine white are available with matching drain covers for the Kaldewei ESR (Viega Tempoplex fittings).



The colours shown here have been selected to match the bathroom fittings currently available on the market. Actual product colours may differ slightly from those illustrated due to the printing process.

SELECTION TABLE FLOOR-LEVEL SHOWERS.

Model	Model No.	Length (cm)	Width (cm)	Anti-slip	Full anti-slip	Easy-clean finish	Support	Designer
ARRONDO	870	90	90	•		•	•	Phoenix
ARRONDO	872	100	100	•		•	•	Phoenix
BELLEZZA	578	90	90	•		•	•	Phoenix
BELLEZZA	579	100	100	•		•	•	Phoenix
CONOPLAN	532	90	90	•	•	•	•	Sottsass
CONOPLAN	534	100	100	•	•	•	•	Sottsass
CONOPLAN	536	120	90	•	•	•	•	Sottsass
CORNEZZA	670	90	90	•		•	•	Phoenix
CORNEZZA	672	100	100	•		•	•	Phoenix
FONTANA	594	80	80	•		•	•	Frog
FONTANA	564	90	90	•		•	•	Frog
FONTANA	565	100	100	•		•	•	Frog
LADOPLAN	762	90	90	•	•	•	•	Kaldewei
LADOPLAN	764	80	100	•	•	•	•	Kaldewei
LADOPLAN	768	100	100	•	•	•	•	Kaldewei
SUPERPLAN	385	75	80	•	•	•	•	Phoenix
SUPERPLAN	386	80	80	•	•	•	•	Phoenix
SUPERPLAN	400	70	90	•	•	•	•	Phoenix
SUPERPLAN	387	75	90	•	•	•	•	Phoenix
SUPERPLAN	388	80	90	•	•	•	•	Phoenix
SUPERPLAN	390	90	90	•	•	•	•	Phoenix
SUPERPLAN	402	75	100	•	•	•	•	Phoenix
SUPERPLAN	398	80	100	•	•	•	•	Phoenix
SUPERPLAN	404	90	100	•	•	•	•	Phoenix
SUPERPLAN	391	100	100	•	•	•	•	Phoenix
SUPERPLAN	405	90	110	•	•	•	•	Phoenix
SUPERPLAN	401	70	120	•	•	•	•	Phoenix
SUPERPLAN	403	75	120	•	•	•	•	Phoenix
SUPERPLAN	389	80	120	•	•	•	•	Phoenix
SUPERPLAN	406	90	120	•	•	•	•	Phoenix
SUPERPLAN	407	100	120	•	•	•	•	Phoenix
SUPERPLAN	399	120	120	•	•	•	•	Phoenix
SUPERPLAN XXL	438	90	130	•	•	•	•	Phoenix
SUPERPLAN XXL	408	70	140	•	•	•	•	Phoenix
SUPERPLAN XXL	410	75	140	•	•	•	•	Phoenix
SUPERPLAN XXL	429	90	140	•	•	•	•	Phoenix
SUPERPLAN XXL	412	100	140	•	•	•	•	Phoenix
SUPERPLAN XXL	433	70	150	•	•	•	•	Phoenix
SUPERPLAN XXL	435	75	150	•	•	•	•	Phoenix
SUPERPLAN XXL	439	90	150	•	•	•	•	Phoenix
SUPERPLAN XXL	442	100	150	•	•	•	•	Phoenix
SUPERPLAN XXL	413	150	150	•	•	•	•	Phoenix
SUPERPLAN XXL	431	70	160	•	•	•	•	Phoenix
SUPERPLAN XXL	436	75	160	•	•	•	•	Phoenix
SUPERPLAN XXL	440	90	160	•	•	•	•	Phoenix
SUPERPLAN XXL	443	100	160	•	•	•	•	Phoenix
SUPERPLAN XXL	409	70	170	•	•	•	•	Phoenix
SUPERPLAN XXL	411	75	170	•	•	•	•	Phoenix
SUPERPLAN XXL	430	90	170	•	•	•	•	Phoenix
SUPERPLAN XXL	444	100	170	•	•	•	•	Phoenix
SUPERPLAN XXL	437	80	180	•	•	•	•	Phoenix
SUPERPLAN XXL	441	90	180	•	•	•	•	Phoenix
SUPERPLAN XXL	445	100	180	•	•	•	•	Phoenix
ZIRKON	501	90	75	•		•	•	
ZIRKON	600	80	80	•		•	•	
ZIRKON	603	90	80	•		•	•	
ZIRKON	605	100	80	•		•	•	
ZIRKON	502	75	90	•		•	•	
ZIRKON	601	80	90	•		•	•	
ZIRKON	604	90	90	•		•	•	
ZIRKON	602	80	100	•		•	•	
ZIRKON	606	100	100	•		•	•	

• = for an additional charge

Phoenix = Phoenix Product Design, Sottsass = Sottsass Associati, Frog = Frog Design, Kaldewei = Designed by Kaldewei